

# LIAONING 518

Catalog Of Products



Applicability model	Cylinders	OEM No.	With Gear or Without Gear	Main Journal (mm)	Rod Journal (mm)	Stroke (mm)	Total length (mm)	Net Weight(kg)
<b>PERKINS</b>								
T723010017	3	3131D0082	Without Gear	Φ76.17	Φ63.48	63.5×2	499.13	29
T31315681	4	94435	Without Gear	Φ76.17	Φ63.48	63.5×2	626.92	33
3131H022	6	3131H022	Without Gear	Φ76.17	Φ63.48	63.5×2	869.105	
<b>CATERPILLAR</b>								
CAT3306B	6	2W7458	With Gear	Φ88.88	Φ76.18	76.2×2	1073.92	85
CAT3066	6	1253005	Without Gear	Φ90	Φ60	65×2	925	60
C15 ACERT	6	221-9360	Without Gear	Φ120.65	Φ97	85.7×2	1209.41	178
C9	6	261-1543	Without Gear	Φ104	Φ80	74.5*2	914.5	
C13	6	312-4593 3133997	Without Gear	Φ108	Φ89	78.5×2	1088	127
<b>CUMMINS</b>								
6CTA	6	3917320	Without Gear	Φ98	Φ76	67.5×2	967	78
6CTA	6	3918986(with Gear )	With Gear	Φ98	Φ76	67.5×2	967	78
6L	6	3965010	Without Gear	Φ98.019	Φ76.013	72.25×2	967.44	80.2
ISX 15	6	4925761	Without Gear	Ø127	Ø94	84.5	1258.95	---
<b>DETROIT</b>								
S60	6	2351598	No Gear	Φ125	Φ85	80×2	1222.96	162
<b>DEUTZ</b>								
226B 4 cylinder	4	12272491	With Gear	Φ70	Φ63	60×2	673	36.5
226B 6 cylinder	6	12272497	With Gear	Φ70	Φ63	60×2	929	55
TCD2013 L4 2V BF4M1013 30D	4	04299259	With Gear	Φ85	Φ68	65×2	709	43
TCD2013 L6 2V BF6M1013 52D	6	04501008	With Gear	Φ85	Φ68	65×2	973	55
TCD2013 L4 4V BF4M2013 65E	4	04908849	With Gear	Φ85	Φ75	65×2	709.6	51.394
TCD2013 L6 4V BF6M2013 48E	6	04908852	With Gear	Φ85	Φ75	65×2	973.6	74.54
TCD2012-L4 BF4M2012 65D	4	04502706	With Gear	Φ84	Φ69.994	63×2	618.8	42
TCD2012-L6 BF6M2012 56D	6	04502707	With Gear	Φ84	Φ69.994	63×2	846.8	52.5

**LIAONING 518 INTERNAL COMBUSTION ENGINE FITTINGS CO., LTD**

**Email:bupengsheng@dd518c.com**

**Mobile /Whatsapp/Wechat:0086-13842518553**

**http://dd518c.com/**



# LIAONING 518

Catalog Of Products

Applicability model	Cylinders	OEM No.	With Gear or Without Gear	MainJournal (mm)	Rod Journal (mm)	Stroke (mm)	Total length (mm)	Net Weight(kg)
BF4M2012 (CK4M2012)	4	Width of Pin : 35.8	With Gear	Φ84	Φ63	63×2	618.8	42
BF6M2012 (CK6M2012)	6	Width of Pin : 35.8	With Gear	Φ84	Φ63	63×2	618.8	52.5
<b>DOOSAN</b>								
DL06	6	65.02101-0069A	No Gear	Φ80	Φ69	62.5×2	864	60
DB58	6	65.02101-0045A	No Gear	Φ80	Φ64	59×2	862	55
DE08	6	150107-00183A	No Gear	Φ84	Φ71	69.5×2	925.5	72
<b>ISUZU</b>								
6BD1T	6	1123104370	No Gear	Φ80	Φ64	59×2	862	54
<b>HINO</b>								
J08C	6	13411-2241	No Gear	Φ80	Φ65	57.5×2	890	53
<b>KOMATSU</b>								
S6D95	6	6207-31-1100	No Gear	Φ70	Φ57	57.5×2	796.9	
S6D114	6		No Gear	Φ98	Φ76	67.5×2	967	78
<b>KUKJE</b>								
A1100	3	HT10070100C	No Gear	Φ48	Φ40	41×2	426.5	8.591
D3600T	4	EA00003336A	No Gear	Φ72	Φ63	60×2	586	29.68
A1700	3	HRD0800101C0	No Gear	Φ54	Φ50	47×2	436	14.2
<b>KAMAZ</b>								
V8	8	740. 13-1005008b	No Gear	Φ95	Φ80	60×2	790.5	85
<b>mitsubishi</b>								
12R	12	38E20-0010	With Gear	Φ170	Φ125	90×2	1932.4	470
16R	16	38F20-00101	With Gear	Φ170	Φ125	90×2	2462.4	570
6D16T	6	ME130937	No Gear	φ84	φ65	57.5×2	968	56
FE7	4	ME017354	No Gear	φ78	φ65	57.5×2	683	
4D34	4	ME913668	No Gear	φ78	φ60	57.5×2	683	
S6K	6	3432010011	No Gear	Φ90	Φ60	65×2	925	60
6D16T	6	ME072197	No Gear	Φ84	Φ65	65×2	968	56
<b>Navistar</b>								
7.2	6	7000412C91	No Gear	Φ86	Φ63	68.5×2	884	57
<b>Ford</b>								
ECOTORQ 9L	6	FH1-6302-AA	No Gear	Ø81	Ø95	72×2	906.5	74
ECOTORQ 12.7L	6	GC46-6303-AB	No Gear	Ø112	Ø93	80×2	1155.58	120.83
<b>MAN Truck&amp;Bus</b>								
D2848 ASSEMBLY	8	95.02101-7397A-1	With Gear	Ø104	Ø90	71×2	768	105.9
D2842 ASSEMBLY	12	95.02101-7539-1	With Gear	Ø104	Ø90	71×2	1084	130
<b>MAN Diesel&amp;Turbo</b>								
L16/24 SERIES	5 ~ 9	11.02001-1920B	No Gear	Ø160	Ø130	120	---	---

**LIAONING 518 INTERNAL COMBUSTION ENGINE FITTINGS CO., LTD**

**Email:bupengsheng@dd518c.com**

**Mobile /Whatsapp/Wechat:0086-13842518553**

**http://dd518c.com/**



# LIAONING 518

Catalog Of Products

Applicability model	Cylinders	OEM No.	With Gear or Without Gear	Main Journal (mm)	Rod Journal (mm)	Stroke (mm)	Total length (mm)	Net Weight(kg)
L23/30 SERIES	5 ~ 8	11.02001-17XX	No Gear	∅210	∅185	150	---	---
L21/31 SERIES	5 ~ 9	11.02001-19XX	No Gear	∅210	∅190	155	---	---
L27/38G SERIES	5 ~ 9	11.02001-1902~1906E1	No Gear	250	∅250	190	---	---
L27/38P SERIES	5 ~ 9	11.02001-1907~1911E2	No Gear	250	∅250	190	---	---
L32/40 SERIES	6 ~ 9	11.02001-1965~1968	No Gear	290	∅290	200	---	---
<b>Daihatsu</b>								
6DK-20	6	E200650370	No Gear	∅200	∅170	187.5	2295	910
SDK-20	5	E200655040ZZ-RC	No Gear	∅200	∅170	172.5	1985	870
8DK-20	8	AE27900R003-RC	No Gear	∅200	∅170	237	2915	1216
6DK-28	6	E280670080F	No Gear	∅250	∅235	315	3150	1930
8DK-28	8	E280670090F	No Gear			315	4010	2460

**LIAONING 518 INTERNAL COMBUSTION ENGINE FITTINGS CO., LTD**

**Email:bupengsheng@dd518c.com**

**Mobile /Whatsapp/Wechat:0086-13842518553**

**http://dd518c.com/**